Toru ONODERA, et al.

Q96406
PRELIMINARY AMENDMENT

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (original): A method for producing a polymer compound, wherein said method comprises

a method for polymerizing a monomer represented by the following formula (1) in the presence of a condensation reagent to produce a homopolymer:

$$X^1-Ar^1-X^2 (1)$$

(wherein X¹ and X² independently represent groups to be eliminated in condensation, and Ar¹ represents di-valent aromatic group having a substituent group comprising at least a sulfonic acid or a salt thereof, or a sulfonic acid via a connecting group or a salt thereof), or

for copolymerizing a monomer represented by the above-described formula (1) and a monomer represented by the following formula (2) in the presence of the condensation reagent to produce a copolymer represented by the following formula (3):

$$X^3 - Ar^2 - X^4$$
 (2)

(wherein X³ and X⁴ independently represent groups to be eliminated in condensation, and Ar² represents di-valent aromatic group optionally having a substituent group),

$$-(Ar^{1})q-(Ar^{2})r-$$
 (3)

PRELIMINARY AMENDMENT

(wherein Ar¹ and Ar² respectively represent the same meanings described above, q represents a positive number, r represents 0 or a positive number, and the sum of q and r is 300 or more); and wherein said condensation reagent and said monomer(s) are mixed at a temperature of 45°C or more.

- 2. (original): The method according to Claim 1, wherein the condensation agent is a transition metal complex.
- 3. (original): The method according to Claim 2, wherein the transition metal complex is a zero-valent transition metal complex.
- 4. (original): The method according to Claim 3, wherein the zero-valent transition metal complex comprises at least one selected from the group consisting of a zero-valent nickel complex and zero-valent palladium complex.
- 5. (original): The method according to Claim 4, wherein the zero-valent nickel complex is bis(1,5-cyclooctadiene)nickel(0).
- 6. (original): The method according to any one of Claims 2 to 5, wherein 2,2'-bipyridyl is further co-present.
- 7. (currently amended): A polymer compound produced by any one of methods according to Claims 1 to 5 the method according to Claim 1.
- 8. (original): The polymer compound according to Claim 7, comprising the formula (3) and having a number-average molecular weight of $5x10^4$ or more in terms of polystyrene standard.

- 9. (currently amended): The polymer compound according to Claims 7 or 8Claim 7, having an ion-exchange capacity of 0.8 meq/g or more.
- 10. (currently amended): A polymer electrolyte comprising an ingredient comprising the polymer compound(s) according to Claims 7 to 9Claim 7.
- 11. (original): A polymer electrolyte member comprising the polymer electrolyte according to Claim 10.
- 12. (original): A catalyst composition comprising the polymer electrolyte according to Claim 10.
- 13. (original): A polymer electrolyte fuel cell comprising the polymer electrolyte membrane according to Claim 11.
- 14. (original): A polymer electrolyte fuel cell comprising the catalyst composition according to Claim 12.
- 15. (new): The polymer compound according to Claim 8, having an ion-exchange capacity of 0.8 meq/g or more.
- 16. (new): A polymer electrolyte comprising an ingredient comprising the polymer compound(s) according to Claim 8.
- 17. (new): A polymer electrolyte comprising an ingredient comprising the polymer compound(s) according to Claim 9.
- 18. (new): A polymer electrolyte comprising an ingredient comprising the polymer compound(s) according to Claim 15.